

Universe	Sport
Type	Verticality
Category	Carabiners and quickdraws
Subcategory	Locking carabiners



OK

Lightweight aluminum carabiner with a symmetrical oval shape that allows optimal loading of devices with a wide section, such as pulleys, ascenders and progress capture pulleys. Available in three locking systems (SCREW-LOCK, TRIACT-LOCK et BALL-LOCK)

Short Description Oval carabiner for use with pulleys and ascenders




Selling Points

- Symmetrical oval shape allows optimal loading of devices with a wide section, such as pulleys, ascenders and progress capture pulleys
- Facilitates manipulations:
 - fluid interior design limits the risk of having a catch point and facilitates rotation of the carabiner
 - Keylock system to avoid any involuntary snagging of the carabiner
 - the H-profile contributes to better grip, protects the markings from abrasion and reduces weight
- Available in three different locking systems:
 - SCREW-LOCK: easy-to-open system, locking or not, according to the need of the user. The red band provides a visual warning when the carabiner is unlocked. This system is suitable for difficult environments where contaminants (mud, ice) could cause an automatic locking system to jam.
 - TRIACT-LOCK: automatic locking system designed for frequent manipulation. Triple-action opening by raising and turning the sleeve, then pressing on the gate.
 - BALL-LOCK: automatic locking system designed for frequent manipulation, with lock indicator. Triple-action opening by pressing on the green indicator, turning the sleeve, then pressing on the gate. The green button indicates when the gate is locked.

Specification

- Material(s): aluminum
 - Certification(s): CE EN 12 275, UIAA
-

Specifications by reference

Reference(s)	M33A SL	M33A TL	M33A BL
			
Weight	70 g	75 g	75 g
Locking system	SCREW-LOCK	TRIACT-LOCK	BALL-LOCK
Color(s)	gray	gray	gray
Major axis strength	25 kN	25 kN	25 kN
Minor axis strength	8 kN	8 kN	8 kN
Open gate strength	7 kN	7 kN	7 kN
Gate opening	22 mm	22 mm	23 mm
Made in	FR	FR	FR
Guarantee	3 years	3 years	3 years
Packing	1	1	1
Case quantity	20	20	20
EAN	3342540815810	3342540815834	3342540815858

Related product(s) PRO TRAXION
 MICRO TRAXION
 BASIC
 PARTNER